



# राजपत्र, हिमाचल प्रदेश (असाधारण)

हिमाचल प्रदेश राज्य जाम्यन द्वारा प्रकाशित

शिमला, सोमवार, 20 सितम्बर, 2004/29 भाद्रपद, 1926

हिमाचल प्रदेश सरकार

विज्ञान एवं प्रायोगिकी विभाग

अधिसूचना

जि.नं.-2, 10 सितम्बर, 2004

संख्या एस० टी० ई०-ई (4) 1/2003-1.—साधारण खण्ड अधिनियम, 1897 की धारा 21 के साथ पठित, भारत सरकार, पर्यावरण एवं वन मन्त्रालय, पर्यावरण वन एवं वन्य जीव विभाग की अधिसूचना संख्या एस० ओ० 152 (ई) तारीख 10 जनवरी, 1988 द्वारा राज्य सरकार को यथा प्रयोज्य पर्यावरण (संरक्षण) अधिनियम, 1986 की धारा 5 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, हिमाचल प्रदेश के राज्यपाल, लोकहित में इस विभाग की अधिसूचना संख्या एस० टी० ई०-ई(4)-1/2003, दिनांक 29-4-2003 (जिसे इसमें इसके पश्चात् उक्त अधिसूचना कहा गया है) में तुरन्त प्रभाव में, संशोधन करते हैं,—

अधिसूचना का संशोधन.—(क) क्रम संख्या 1 पर शीर्षक “स्थल आचिन्त्य” के अधीन पैरा “1.1 मान (नामर्ज)” के स्थान पर निम्नलिखित रखा जाएगा, अर्थात् :—

“1.1 मान (नामर्ज) :

पहाड़ी स्थलाकृति, भूमि की ऋण उपलब्धता और पहाड़ियों की कमजोर परिस्थितिकी के रख-रखाव की आवश्यकता को विचार में रखते हुए, स्टोन क्रशर्स इकाईयों का गठन निम्नलिखित स्थान निर्धारण कसौटी

को ध्यान में रखते हुए किया जाएगा, अर्थात् :—

| क्रम संख्या | कमीटी  | विद्यमान स्टोन क्रशर्ज के लिए दूरी (सीधी लाईन दूरी* मीटरों में) | भविष्य में स्थापित किये जाने वाले क्रशर्ज के लिए दूरी (सीधी लाईन दूरी मीटरों में) |
|-------------|--|---|---|
| 1.          | राष्ट्रीय अथवा राज्य उच्च मार्ग से न्यूनतम दूरी                        | 50 (क्षैतिज दूरी)   | 150   |
| 2.          | लोक मार्ग अथवा अन्य सड़कों से न्यूनतम दूरी                             | —   | 75  |
| 3.          | जिला मुख्यालय से न्यूनतम दूरी  | 1500  | 1500  |
| 4.          | किसी शहर अथवा अधिसूचित क्षेत्र समिति से न्यूनतम दूरी ।                 | 1000  | 1000  |
| 5.          | ग्रामीण आबादी-देह से न्यूनतम दूरी                                      | 250   | 500   |
| 6.          | अस्पताल या शिक्षा संस्थानों से न्यूनतम दूरी                            | 300 (क्षैतिज दूरी)  | 1000  |
| 7.          | झरनों, नहरों, रिजर्वायरज और कार्यशील जल-प्रदाय स्कीम से न्यूनतम दूरी । | 100   | —   |
| 8.          | अधिसूचित झीलों और आद्र-भूमियों (वेट लैंड) से न्यूनतम दूरी ।            | 500   | 500   |
| 9.          | प्राकृतिक झरनों से न्यूनतम दूरी  | —   | 500   |
| 10.         | अधिसूचित पार्क से न्यूनतम दूरी   | —   | 2000  |
| 11.         | अभयारण्यों से न्यूनतम दूरी   | —   | 1000  |
| 12.         | पुल-स्थल से न्यूनतम दूरी   | —   | 200 अप-स्ट्रीम<br>300 डाउन-स्ट्रीम  |

\*मद संख्या 1 व 6 के सिवाय ।

24

टिप्पणी :

1. राष्ट्रीय अथवा राज्य उच्चमार्ग से 50 से 100 मीटर की दूरी के बीच और अस्पताल/शिक्षण संस्थान से 300 से 1000 मीटर के बीच विद्यमान स्टोन-क्रशर्ज के स्वामी अतिरिक्त प्रदूषण-नियन्त्रक डिवाइसों और सुपरिकल्पित कृत्रिम बैरियर स्थापित करेंगे, ताकि वायु तथा ध्वनि प्रदूषण समुचित रूप में विहित सीमाओं के भीतर ही रहे । इन अतिरिक्त उपायों के लिए मानक अलग से अधिसूचित किए जा रहे हैं ।
2. ध्वनि-स्तर पर्यावरण संरक्षण नियम, 1986 के उपबन्धों के अनुरूप होगा ।
3. शेष उपबन्ध वही रहेंगे जो उक्त अधिसूचना में अन्तर्विष्ट हैं ।

(ख) उक्त अधिसूचना में, अंकों और चिह्नों "3-3-2003" जहां-जहां वे आते हैं, के स्थान पर "3-4-2003" अंक और चिह्न रखे जाएंगे ।

आदेश द्वारा,

संजीव गुप्ता,  
सचिव

[Authoritative English text of this Department's notification No. STE-E(4) 4-1/2003-I, dated 10-9-2004 as required under clause (3) of Article 348 of the Constitution of India].

## SCIENCE AND TECHNOLOGY DEPARTMENT

### NOTIFICATION

Shimla-2, the 10th September, 2004

No. STE-E(4)-1/2003-I.—In exercise of the powers conferred by section 5 of the Environment (Protection) Act, 1986 as delegated to the State Government by the Government of India, Ministry of Environment and Forests, Department of Environment, Forests and Wild-life vide Notification No. S. O. 152 (E) dated 10th January, 1988 read with section 21 of the General Clauses Act, 1897, the Governor of Himachal Pradesh, is pleased to amend this Department's Notification No. STE-E(4)-1/2003 dated 29-4-2003 (hereinafter called the said notification) in public interest, with immediate effect,—

*Amendment of Notification.*—(a) Under the Heading "Site Suitability" at Sl. No. 1 for the existing para "1.1 Norms", the following shall be substituted, namely :—

"1.1 Norms :

Taking into consideration the hill topography, availability of less land and requirement to maintain the fragile ecology of the hills, the Stone Crushing Units shall be set-up, keeping in view, the following siting criteria, namely :—

| Sl. No. | Criteria  | Distance for Existing Stone-Crushers (crow flight* distance in meters) | Distance for Stone-Crushers to be set up in future (crow flight distance in meter.) |
|---------|---|--|---|
| 1       | 2   | 3  | 4   |
| 1.      | Minimum distance from National or State Highway                                     | 50<br>(horizontal distance)  | 150   |
| 2.      | Minimum distance from link road or other roads.                                     | —  | 75  |
| 3.      | Minimum distance from district head quarter.  | 1,150  | 1,500   |
| 4.      | Minimum distance from Town or Notified Area Committee.                              | 1,000  | 1,000   |
| 5.      | Minimum distance from Village-abadi-deh.  | 250  | 500   |
| 6.      | Minimum distance from hospital and educational institutions.                        | 300 (horizontal distance)  | 1,000   |
| 7.      | Minimum distance from a spring, Canal, reservoir or functional water supply scheme. | 100  | —   |
| 8.      | Minimum distance from notified lakes and wetlands.                                  | 500  | 500   |

को ध्यान में रखते हुए किया जाएगा, अर्थात् :—

| क्रम संख्या | कसौटी   | विद्यमान स्टोन क्रशर्स के लिए दूरी (सीधी लाईन दूरी* मीटरों में) | भविष्य में स्थापित किये जाने वाले क्रशर्स के लिए दूरी (सीधी लाईन दूरी मीटरों में) |
|-------------|---|---|---|
| 1.          | राष्ट्रीय अथवा राज्य उच्च मार्ग से न्यूनतम दूरी                       | 50 (क्षैतिज दूरी)   | 150   |
| 2.          | लोक मार्ग अथवा अन्य सड़कों से न्यूनतम दूरी                            | —   | 75  |
| 3.          | जिला मुख्यालय से न्यूनतम दूरी   | 1500  | 1500  |
| 4.          | किसी शहर अथवा अधिसूचित क्षेत्र समिति से न्यूनतम दूरी।                 | 1000  | 1000  |
| 5.          | ग्रामीण आबादी-बेह से न्यूनतम दूरी                                     | 250   | 500   |
| 6.          | अस्पताल या शिक्षा संस्थानों से न्यूनतम दूरी                           | 300 (क्षैतिज दूरी)  | 1000  |
| 7.          | झरनों, नहरों, रिजर्वीयरज और कार्यशील जल-प्रदाय स्कीम से न्यूनतम दूरी। | 100   | —   |
| 8.          | अधिसूचित झीलों और आद्र-भूमियों (वेट लैंड) से न्यूनतम दूरी।            | 500   | 500   |
| 9.          | प्राकृतिक झरनों से न्यूनतम दूरी                                       | —   | 500   |
| 10.         | अधिसूचित पार्क से न्यूनतम दूरी  | —   | 2000  |
| 11.         | अभयारण्यों से न्यूनतम दूरी  | —   | 1000  |
| 12.         | पुल-स्थल से न्यूनतम दूरी  | —   | 200 अप-सट्रीम<br>300 डाउन-सट्रीम  |

\*मद संख्या 1 व 6 के सिवाय।

टिप्पणी :

1. राष्ट्रीय अथवा राज्य उच्चमार्ग से 50 से 100 मीटर की दूरी के बीच और अस्पताल/शिक्षण संस्थान से 300 से 1000 मीटर के बीच विद्यमान स्टोन-क्रशर्स के स्वामी अतिरिक्त प्रदूषण-नियन्त्रक डिवाइसों और सुपरिक्लिप्त कृत्रिम बैरियर स्थापित करेंगे, ताकि वायु तथा ध्वनि प्रदूषण समुचित रूप में विहित सीमाओं के भीतर ही रहे। इन अतिरिक्त उपायों के लिए मानक अलग से अधिसूचित किए जा रहे हैं।
2. ध्वनि-स्तर पर्यावरण संरक्षण नियम, 1986 के उपबन्धों के अनुरूप होगा।
3. शेष उपबन्ध वही रहेंगे जो उक्त अधिसूचना में अन्तर्विष्ट हैं।

(ख) उक्त अधिसूचना में, अंकों और चिह्नों "3-3-2003" जहां-जहां वे आते हैं, के स्थान पर "3-4-2003" अंक और चिह्न रखे जाएंगे।

आदेश द्वारा,

संजीव गुप्ता,  
सचिव

[Authoritative English text of this Department's notification No. STE-E(4) 4-1/2003-I, dated 10-9-2004 as required under clause (3) of Article 348 of the Constitution of India].

## SCIENCE AND TECHNOLOGY DEPARTMENT

### NOTIFICATION

Shimla-2, the 10th September, 2004

**No. STE-E(4)-1/2003-I.**—In exercise of the powers conferred by section 5 of the Environment (Protection) Act, 1986 as delegated to the State Government by the Government of India, Ministry of Environment and Forests, Department of Environment, Forests and Wild-life vide Notification No. S. O. 152 (E) dated 10th January, 1988 read with section 21 of the General Clauses Act, 1897, the Governor of Himachal Pradesh, is pleased to amend this Department's Notification No. STE-E(4)-1/2003 dated 29-4-2003 (hereinafter called the said notification) in public interest, with immediate effect,—

**Amendment of Notification.**—(a) Under the Heading "Site Suitability" at Sl. No. 1 for the existing para "1.1 Norms", the following shall be substituted, namely:—

"1.1 Norms :

Taking into consideration the hill topography, availability of less land and requirement to maintain the fragile ecology of the hills, the Stone Crushing Units shall be set-up, keeping in view, the following siting criteria, namely:—

| Sl. No. | Criteria  | Distance for Existing Stone-Crushers (crow flight* distance in meters) | Distance for Stone-Crushers to be set up in future (crow flight distance in meter.) |
|---------|---|--|---|
| 1       | 2   | 3  | 4   |
| 1.      | Minimum distance from National or State Highway                                     | 50<br>(horizontal distance)  | 150   |
| 2.      | Minimum distance from link road or other roads.                                     | —  | 75  |
| 3.      | Minimum distance from district head quarter.  | 1,150  | 1,500   |
| 4.      | Minimum distance from Town or Notified Area Committee.                              | 1,000  | 1,000   |
| 5.      | Minimum distance from Village-abadi-deh.  | 250  | 500   |
| 6.      | Minimum distance from hospital and educational institutions.                        | 300 (horizontal distance)  | 1,000   |
| 7.      | Minimum distance from a spring, Canal, reservoir or functional water supply scheme. | 100  | —   |
| 8.      | Minimum distance from notified lakes and wetlands.                                  | 500  | 500   |

| 1   | 2   | 3 | 4                               |
|-----|---|---|---------------------------------|
| 9.  | Minimum distance from natural water spring. | — | 500                             |
| 10. | Minimum distance from notified Parks.       | — | 2000                            |
| 11. | Minimum distance from Sanctuaries.          | — | 1000                            |
| 12. | Minimum distance from bridge site.          | — | 200 upstream<br>300 down-stream |

\*Except in item Nos. 1 & 6.

*Note.*—1. The owners of existing stone crushers falling between 50 meters to 100 meters from a National or State highway and between 300 meters to 1000 meters from a hospital/ educational institution shall install extra pollution control devices and well designed artificial barrier so as to keep air and noise pollutions well within the prescribed limits. Norms for these additional measures are being notified separately.

2. Sound levels shall conform to the provisions of the Environment Protection Rules, 1986.
3. Rest of the provisions/norms shall continue to remain same as contained in the said notification.

(b) In the said notification signs and figures "3-3-2003" wherever occurring shall be substituted by the signs and figures "3-4-2003."

By order,

**SANJEEV GUPTA,**  
Secretary.